KARCHE

LVS 1/1 BP

Battery-powered dry vacuum cleaner LVS 1/1 Bp with excellent suction power thanks to cyclone filter technology. Versatile use, three-stage adjustable suction power, HEPA 13 filter, floor nozzle and crevice nozzle.










Order no.

- Cordless, excellent cleaning performance on all floors and surfaces
- Cyclone filter technology: consistently high suction power
- Passive floor nozzle, crevice nozzle, HEPA 13 filter, wall bracket

Techn	ilcui data		
EAN c	ode		4066529137777
Batte	ry platform		18 V battery platform
Conta	iner capacity	1	0.35
Conta	iner material		Plastic
Sound	d pressure level	dB(A)	70
Air flo	ow	I/s	12
Nomi	nal power	W	230
Vacuu	ım	mbar / kPa	140 / 14
Stand	ard nominal width		ID 35
N. Le come de			
NUMB	er of batteries required	Piece(s)	1
	ier of batteries required	Piece(s)	1 ecolefficiency mode: approx. 60 (5.0 Ah) / Power mode: approx. 20 (5.0 Ah) / ecolefficiency mode: approx. 35 (3.0 Ah) / Power mode: approx. 12 (3.0 Ah)
Run ti	·		ecolefficiency mode: approx. 60 (5.0 Ah) / Power mode: approx. 20 (5.0 Ah) / ecolefficiency mode: approx. 35 (3.0 Ah) /
Run ti	ime per battery charge	min	ecolefficiency mode: approx. 60 (5.0 Ah) / Power mode: approx. 20 (5.0 Ah) / ecolefficiency mode: approx. 35 (3.0 Ah) / Power mode: approx. 12 (3.0 Ah)
Run ti	ime per battery charge	min	ecolefficiency mode: approx. 60 (5.0 Ah) / Power mode: approx. 20 (5.0 Ah) / ecolefficiency mode: approx. 35 (3.0 Ah) / Power mode: approx. 12 (3.0 Ah) 2.5
Run ti Charg Colou Weigl	ime per battery charge ing current r	min A	ecolefficiency mode: approx. 60 (5.0 Ah) / Power mode: approx. 20 (5.0 Ah) / ecolefficiency mode: approx. 35 (3.0 Ah) / Power mode: approx. 12 (3.0 Ah) 2.5 anthracite
Charg Colou Weigl	ime per battery charge ing current r nt without accessories	min A kg	ecolefficiency mode: approx. 60 (5.0 Ah) / Power mode: approx. 20 (5.0 Ah) / ecolefficiency mode: approx. 35 (3.0 Ah) / Power mode: approx. 12 (3.0 Ah) 2.5 anthracite 1.5

Equipment		
Versions	Battery and battery charger not included	
eco!efficiency mode		
Quantity of suction tubes	Piece(s)	1
Suction tubes length	mm	509
Suction tubes nominal width	in	35
Suction tubes material		Plastic
Floor nozzle		
Crevice nozzle		
Motor protection filters		
HEPA filter type	HEPA 13 filter	
Accessories holder		
Wall mount		•
Included in the scope of supply.		

KARCHER





Professional quality: particularly robust and durable

- Unique cyclone filter technology for consistently high suction power.
- Brushless EC motor for a long service life and high wear resistance.
- Innovative and time-saving: easy-to-maintain filter system.



Excellent cleaning performance

- Needs-based cleaning: three different cleaning modes to choose from.
- Effectively removes dust and dirt from all surfaces. Perfect for spot cleaning.
- Battery operation for unrestricted freedom of movement.



Highly effective HEPA-13 filter

- For the highest safety standards in hygienically sensitive areas.
- High filtration and separation degree of 99.95% withholds tiny particles.

LVS 1/1 Bp, 1.394-110.0, 2025-06-15

KARCHER

ACCESSORIES FOR LVS 1/1 BP 1.394-110.0





















				_
		Order no.	Description	T
FILTER T/ NT				
HEPA Filter				Ļ
HEPA 13 filter LVS 1/1 Bp and LVS 1/2 Bp	1	2.885-914.0	HEPA 13 filter with a separation degree of 99.5% certified according to test standard DIN EN 1822:2019. For increasing the filter capacity and improving the blower air.	I
Exhaust air filter				
Motor protection filter, 1 Piece(s), LVS 1/1 Bp, LVS 1/2 Bp	2	2.885-915.0	The motor protection filter reliably protects the motor from dirt and extends the service life of the LVS 1/1 Bp and LVS 1/2 Bp battery-powered dry vacuum cleaners. Contents: 1 piece.	
SUCTION NOZZLES				
Floor nozzies				Ī
Floor nozzle, DN 35, width 215 mm, suitable for LVS 1/1 Bp for textile surfaces and hard surfaces	3	9.759-489.0	Floor nozzle with width of 215 mm and nominal size of DN 35 for cleaning textile surfaces and hard surfaces. Suitable for the LVS 1/1 Bp battery-powered dry vacuum cleaner from Kärcher.	
Crevice nozzles				
Crevice nozzle, DN 35, plastic, length 210 mm	4	2.889-130.0	With the DN 35 plastic crevice nozzle, corners and crevices can be vacuumed quickly and thoroughly. Length: 210 mm.	ı
Car cleaning nozzles				Ť
Car nozzle, ID 35, 90 mm	5	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	
Uphoistery nozzies		I .		İ
Upholstery nozzle DN 35	6	6.905-998.0	Handy plastic upholstery nozzle in nominal width DN 35. Ideal for gentle cleaning of upholstered furniture such as sofas, armchairs, upholstered chairs and beds.	
Suction brushes				Ť
Suction brush DN 35	7	2.889-221.0	Suction brush DN 35 with horsehair natural bristles.	
SUCTION TUBES				
Suction tubes, plastic				
Suction tube, DN 35, length 509 mm, plastic, suitable for: LVS 1/1 Bp	8	9.774-750.0	Robust suction tube made of black plastic with a nominal size of DN 35 and a length of 509 mm. Specially developed for use with the battery-powered dry vacuum cleaner LVS 1/1 Bp from Kärcher.	
FURTHER ACCESSORIES DRY VACUUM CLEANER	RS			Ť
Wall bracket for LVS 1/1 Bp	9	2.885-919.0	The wall bracket enables practical, space-saving and safe storage of the battery-powered dry vacuum cleaner LVS 1/1 Bp and ensures the machine is always ready to hand.	
Accessories holder for LVS 1/1 Bp	10	9.774-757.0	Accessories holder for practical attachment of the crevice nozzle, included in the scope of supply of the LVS 1/1 Bp battery-powered dry vacuum cleaner. The bracket is made of plastic. Nominal width: DN 35.	ŕ
Bracket for FlexoMate cleaning trolley for LVS 1/1 Bp	11	2.885-917.0	The bracket for the FlexoMate cleaning trolley enables practical, safe and convenient storage of the LVS 1/1 Bp battery-powered dry vacuum cleaner and means that the machine is always ready to hand.	Ī
Surface nozzle DN 35 for hard surfaces and carpeted areas	12	2.889-361.0	Innovative surface nozzle with nominal width DN 35 for dry vacuum cleaners from Kärcher. The nozzle can be used on both hard and carpeted surfaces. Working width: 180 mm.	Ì
BATTERIES				İ
Battery Power 18/25	13	2.445-034.0	18 V / 2.5 Ah Kärcher Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to indicate battery level. Suitable for use in all devices on the 18 V Kärcher battery platform.	
Battery Power 18/50	14	2.445-035.0	18 V / 5.0 Ah Kärcher Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to indicate battery level. Suitable for use in all devices on the 18 V Kärcher battery platform.	



ACCESSORIES FOR LVS 1/1 BP 1.394-110.0













				_
		Order no.	Description	
STARTERKIT BATTERIES AND BATTERY CHARGE	RS			П
Starter kit Battery Power 18/25	15	2.445-062.0	Battery Power 18/25 Starter Kit incl. 18 V/2.5 Ah Battery Power exchangeable battery with innovative Real Time Technology and 18 V fast charger. For all devices on the 18 V Kärcher battery platform.	
Starter kit Battery Power 18/50	16	2.445-063.0	Incl. 18 V / 5.0 Ah Kärcher Battery Power exchangeable battery and 18 V fast charger: The Battery Power 18/50 Starter Kit for use in all devices on the Kärcher 18 V battery platform.	J
BATTERIES				
Battery Power+ 18/30	17	2.445-042.0	With Real Time Technology displayed on an LCD screen: very powerful Battery Power+ 18-volt lithium-ion battery. Long runtime thanks to a capacity of 3.0 Ah. With voltage monitoring and IPX5 protection.	_
BATTERY CHARGERS				
Universal charger Battery Power+ 18-36	18	2.445-054.0	Universal charging unit Battery Power+ with LED operating status indicator for charging all 18 and 36 V Kärcher Battery Power and Kärcher Battery Power+ lithium-ion batteries. Suitable for wall mounting.	J
Fast charger Battery Power+ 18/60	19	2.445-044.0	Quick charger for all 18 V Kärcher Battery Power and Kärcher Battery Power+ lithium-ion batteries. Charging current: 2.5–6 A. With LED operating status indicator. Low stand-by consumption. Wall mounting.	Ī
STARTER KIT				
Starter kit Battery Power+ 18/30	20	2.445-072.0	The Battery Power+ 18/30 Starter Kit consists of an 18 V quick charger and 2 compatible 18 V/3.0 Ah batteries with innovative Real Time Technology.	J

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.